

OPINION 2053 (Case 3207)**STAPHYLINIDAE Latreille, 1804 (Insecta, Coleoptera): 65 specific names conserved**

Abstract. The Commission has ruled that 65 specific names that have been in use for many years for rove beetles (family STAPHYLINIDAE), now placed in several different genera but which were junior primary homonyms when published, are conserved. None of the species denoted by the homonyms has been considered congeneric since 1899. Ninety nine specific names are placed on the Official List of Specific Names in Zoology.

Keywords. Nomenclature; taxonomy; Coleoptera; STAPHYLINIDAE; rove beetles.

Ruling

- (1) Under the plenary power it is hereby ruled that the specific names listed in column 1 of Table 1, as originally published in binomina with the generic names in column 2, are not invalid by reason of being junior primary homonyms of the specific names indicated in column 3.
- (2) The following names are hereby placed on the Official List of Specific Names in Zoology:

The number in square brackets is the number of the name in Table 1 unless otherwise stated.

- aberrans*, *Philonthus*, Cameron, 1932 [33]
aberrans, *Philonthus*, Sharp, 1876 [33]
affinis, *Staphylinus*, Paykull, 1789 [47]
affinis, *Staphylinus*, Solsky, 1868 [47]
analis, *Philonthus*, Erichson, 1840 [56]
angustatus, *Staphylinus*, Geoffroy, 1785 [20]
angustatus, *Staphylinus*, Solier, 1849 [20]
apicalis, *Tachinus*, Erichson, 1839 [58]
atricapillus, *Oxytelus*, Germar, 1825 [12]
atrum, *Omalium*, Casey, 1894 [7]
atrum, *Omalium*, Heer, 1839 [7]
auricomus, *Staphylinus*, Cameron, 1929 [48]
australis, *Philonthus*, Cameron, 1943 [34]
australis, *Philonthus*, MacLeay, 1873 [34]
axillaris, *Tachinus*, Erichson, 1839 [60]
axillaris, *Tachinus*, Gravenhorst, 1806 [60]
bicolor, *Philonthus*, Fauvel, 1903 [35]
bicolor, *Staphylinus*, Laporte, 1835 [57]
bicornis, *Oxytelus*, Germar, 1823 [13]
bicornis, *Oxytelus*, Olivier, 1811 [13]
biguttatus, *Staphylinus*, Bernhauer, 1937 [42]

- biguttatus*, *Staphylinus*, Linnaeus, 1758 [42]
binotatus, *Staphylinus*, Gravenhorst, 1802 [36]
binotatus, *Staphylinus*, Gravenhorst, 1806 [36]
brevipenne, *Omalium*, Motschulsky, 1860 [1]
brunneus, *Tachinus*, Erichson, 1839 [61]
brunneus, *Tachinus*, Ullrich, 1975 [61]
cephalotes, *Staphylinus*, Gravenhorst, 1802 [Table 2, no. 3]
chrysis, *Staphylinus*, Bernhauer, 1936 [49]
chrysis, *Staphylinus*, Gravenhorst, 1806 [49]
cognatus, *Philonthus*, Sharp, 1876 [32]
cognatus, *Philonthus*, Stephens, 1832 [32]
concinus, *Staphylinus*, Gravenhorst, 1802 [9]
concinus, *Staphylinus*, Marsham, 1802 [9]
cornutus, *Oxytelus*, Bernhauer, 1936 [11]
cornutus, *Oxytelus*, Gravenhorst, 1802 [11]
crassicorne, *Omalium*, Lea, 1906 [4]
debilis, *Leptacinus*, Cameron, 1950 [30]
debilis, *Leptacinus*, Erichson, 1839 [30]
denticolle, *Omalium*, Beck, 1817 [8]
denticolle, *Omalium*, Sharp, 1889 [8]
dimidiatus, *Staphylinus*, Laporte, 1835 [50]
fulvipes, *Tachinus*, Erichson, 1840 [59]
gratus, *Philonthus*, Cameron, 1943 [28]
gratus, *Philonthus*, LeConte, 1863 [28]
haemorrhoidalis, *Philonthus*, Brancsik, 1893 [21]
haemorrhoidalis, *Philonthus*, MacLeay, 1873 [21]
haemorrhoidalis, *Staphylinus*, Fabricius, 1801 [15, 55]
haemorrhoidalis, *Staphylinus*, Germar, 1824 [55]
hirtipennis, *Quedius*, Broun, 1915 [45]
humilis, *Philonthus*, Cameron, 1932 [37]
humilis, *Philonthus*, Erichson, 1840 [37]
hybridus, *Philonthus*, Cameron, 1930 [38]
hybridus, *Philonthus*, Erichson, 1840 [38]
litoreus, *Staphylinus*, Broun, 1880 [18]
littoreus, *Staphylinus*, Linnaeus, 1758 [18]
marginatum, *Omalium*, Cameron, 1941 [5]
marginatum, *Omalium*, Say, 1832 [5]
marginatus, *Staphylinus*, Cameron, 1944 [51]
marginatus, *Staphylinus*, Müller, 1764 [51]
melanocephalus, *Oxyporus*, Kirshenblat, 1938 [10]
melanocephalus, *Staphylinus*, Fabricius, 1787 [Table 2, no. 2]
minimus, *Philonthus*, Sharp, 1874 [19]
minutus, *Xantholinus*, Coiffait, 1962 [53]
montanus, *Philonthus*, Bernhauer, 1934 [23]
nigriceps, *Philonthus*, Eppelsheim, 1885 [39]
nigrum, *Omalium*, Coiffait, 1982 [6]
nigrum, *Omalium*, Gravenhorst, 1806 [6]

nitidulus, *Staphylinus*, Fabricius, 1781 [17]
nitidulus, *Staphylinus*, Gravenhorst, 1802 [17]
parvulus, *Oxytelus*, Mulsant & Rey, 1861 [14]
piceus, *Tachinus*, Cameron, 1932 [62]
piceus, *Xantholinus*, Cameron, 1926 [54]
picipennis, *Philonthus*, Heer, 1839 [24]
picipennis, *Philonthus*, Mäklin, 1852 [24]
propinquus, *Philonthus*, Cameron, 1933 [25]
propinquus, *Philonthus*, Sharp, 1876 [25]
punctatellus, *Philonthus*, Heer, 1839 [26]
punctatellus, *Philonthus*, Horn, 1884 [26]
punctipennis, *Staphylinus*, Solier, 1849 [22]
purpurascens, *Staphylinus*, Cameron, 1920 [43]
purpurascens, *Staphylinus*, Nordmann, 1837 [43]
pygmaeus, *Staphylinus*, Paykull, 1800 [Table 2, no. 1]
rivularis, *Philonthus*, Cameron, 1932 [40]
rivularis, *Philonthus*, Kiesenwetter, 1858 [40]
robustum, *Omalium*, Broun, 1911 [2]
robustum, *Omalium*, Heer, 1839 [2]
rufipennis, *Staphylinus*, Cameron, 1930 [52]
rufipennis, *Staphylinus*, Fabricius, 1801 [29, 52]
rufipennis, *Staphylinus*, Gravenhorst, 1802 [29, 52]
rufum, *Omalium*, Sachse, 1852 [3]
terminalis, *Staphylinus*, Erichson, 1839 [16]
terminalis, *Staphylinus*, Laporte, 1840 [16]
testaceus, *Staphylinus*, Fabricius, 1801 [31]
thoracicus, *Staphylinus*, Gravenhorst, 1802 [41]
tomentosus, *Staphylinus*, Gravenhorst, 1802 [44]
unicolor, *Quedius*, Kiesenwetter, 1847 [46]
viduus, *Philonthus*, Cameron, 1933 [27]
viduus, *Philonthus*, Erichson, 1840 [27]

Details of the above names placed on the Official List of Specific Names in Zoology are given in Tables 1 and 2 as follows:

- (a) the specific names in column 1 of Table 1, as originally published in binomina with the generic names in column 2, ruled in (1) above to be not invalid by reason of being junior primary homonyms of the names in column 3;
- (b) the valid specific names in column 3 of Table 1, as originally published in binomina with the generic names in column 2;
- (c) the specific names in column 1 of Table 2, as originally published in binomina with generic names in column 2, usage maintained under Article 23.9.2 as nomina protecta.

History of Case 3207

An application to conserve the use of 65 specific names for rove beetles (family STAPHYLINIDAE) was received from Dr Lee H. Herman (*American Museum of Natural*

History, New York, N. Y., U.S.A.) on 7 June 2001. After correspondence the case was published in BZN 59: 99–113 (June 2002). The title, abstract and keywords of the case were published on the Commission's website. No comments on this case were received, but a correction was published in BZN 59: 281 amplifying the proposals to the Commission.

The specific names are now placed in several different genera but were junior primary homonyms when published. None of the species denoted by the homonyms has been considered congeneric since 1899. The conserved senior and junior homonyms are presented in Table 1 below. Senior homonyms marked with an asterisk * are invalid for the reasons cited in column 6 of Table 1 and Table 2 of the application. The three specific names presented in column 1 of Table 2 below are conserved as nomina protecta under Article 23.9.2.

Decision of the Commission

On 1 March 2003 the members of the Commission were invited to vote on the proposals published in BZN 59: 100. At the close of the voting period on 1 June 2003 the votes were as follows: 23 Commissioners voted FOR the proposals, no Commissioners voted AGAINST, Bouchet abstained, no votes were received from Böhme.

Original references

The following are the original references to the names in Table 1 and Table 2 below, placed on an Official List by the ruling given in the present Opinion [the author's name, date and page on which the name is published are given in the Tables]:

- Beck, L. von.** 1817. *Beiträge zur bairischen Insektenfauna, oder Beschreibung und Abbildung neuer entdeckter Käfer . . .*, vol. 7. Pp. 8–45. Wolfische, Augsburg.
- Bernhauer, M.** 1934. Beitrag zur Staphylinidenfauna Afrika's. *Revue de Zoologie et de Botanique Africaines*, **24**(3): 228–248.
- Bernhauer, M.** 1936a. Die Staphyliniden der Philippinen (Gattung *Oxytelus*). *Philippine Journal of Science*, **61**(1): 81–87.
- Bernhauer, M.** 1936b. Neue Staphyliniden vom belgischen Kongo. *Revue de Zoologie et de Botanique Africaines*, **29**(1): 21–28.
- Bernhauer, M.** 1937. Beitrag zur afrikanischen Staphylinidenfauna. *Annals and Magazine of Natural History*. (10)**20**: 289–315.
- Brancsik, K.** 1893. Beiträge zur Kenntniss Nossibés und dessen Fauna nach Sendungen und Mittheilungen des Herrn P. Frey . . . *Jahresheft des Naturwissenschaftlichen Vereines des Trencsiner Comitates*, **15**: 202–258.
- Broun, T.** 1880. *Manual of the New Zealand Coleoptera*, part 1. 651 pp. Hughes, Wellington.
- Broun, T.** 1911. Additions to the coleopterous fauna of the Chatham Islands. *Transactions of the New Zealand Institute*, **43**: 92–115.
- Broun, T.** 1915. Descriptions of new genera and species of Coleoptera. *New Zealand Institute Bulletin*, **1**(4): 267–346.
- Cameron, M.** 1920. New species of Staphylinidae from India. *Entomologist's Monthly Magazine*, **56**: 141–148, 214–220.
- Cameron, M.** 1926. New species of Staphylinidae from India. Part II. *Transactions of the Entomological Society of London*, **1925**: 341–372.
- Cameron, M.** 1929. New species of Staphylinidae from the Belgian Congo. *Revue de Zoologie et de Botanique Africaines*, **18**(1): 56–65.
- Cameron, M.** 1930a. Staphylinidae from British North Borneo, with descriptions of new species. *Journal of the Federated Malay States Museums*, **16**: 160–168.

- Cameron, M. 1930b. New Staphylinidae from the Malay Peninsula. *Journal of the Federated Malay States Museums*, **16**: 154–159.
- Cameron, M. 1932. *The fauna of British India including Ceylon and Burma. Coleoptera. Staphylinidae*, vol. 3. xiii, 443 pp. Taylor & Francis, London.
- Cameron, M. 1933a. Fauna Sumatrensis. Staphylinidae. *Tijdschrift voor Entomologie*, **76**: 383–395.
- Cameron, M. 1933b. Staphylinidae (Col.) from Mount Kinabalu. *Journal of the Federated Malay States Museums*, **17**(2): 338–360.
- Cameron, M. 1941. Descriptions of new Staphylinidae (Coleopt.). *Proceedings of the Royal Entomological Society of London*, (B)**10**: 56–60, 142–147.
- Cameron, M. 1943. New species of Staphylinidae (Col.) from Australia and New Guinea. *Annals and Magazine of Natural History*, (11)**10**: 336–354.
- Cameron, M. 1944. Descriptions of new Staphylinidae (Coleoptera). *Proceedings of the Royal Entomological Society of London*, (B)**13**: 11–15, 49–52.
- Cameron, M. 1950. Staphylinidae (Coleoptera Polyphaga). *Explorations du Parc National Albert. Mission G. F. de Witte, (1933–1935)*, **59**: 1–85.
- Casey, T.L. 1894. Coleopterological notices. V. *Annals of the New York Academy of Sciences*, **7**: 281–606.
- Coiffait, H. 1962. Nouveaux *Xantholinus* d'Afrique du Nord (Note préliminaire). *Comptes Rendus des Séances Mensuelles Société des Sciences Naturelles et Physiques du Maroc*, **28**: 73–74.
- Coiffait, H. 1982. Contribution à la connaissance des Staphylinides de l'Himalaya (Népal, Ladakh, Cachemire). (Insecta: Coleoptera: Staphylinidae). *Senckenbergiana Biologica*, **62**: 21–179.
- Eppelsheim, E. 1885. Beitrag zur Staphylinidenfauna West-Afrika's. *Deutsche Entomologische Zeitschrift*, **29**: 97–147.
- Erichson, W.F. 1839. *Genera et species Staphylinorum insectorum coleopterorum familiae*, (part 1). Pp. 1–400. Morin, Berolino.
- Erichson, W.F. 1840. *Genera et species Staphylinorum insectorum coleopterorum familiae*, (part 2). Pp. 401–954. Morin, Berolino.
- Fabricius, J.C. 1781. *Species insectorum exhibentes eorum differentias specificas . . .*, vol. 1. viii, 552 pp. Bohnii, Hamburg & Kilonii.
- Fabricius, J.C. 1787. *Mantissa insectorum sistens eorum species . . .*, vol. 1. 348 pp. Christ. Gottl. Proft, Hafniae.
- Fabricius, J.C. 1801. *Systema eleutheratorum secundum ordines . . .*, vol. 2. 687 pp. Bibliopolii Academici Novi, Kiliae.
- Fauvel, A. 1903. Staphylinidae recueillis au Cameroun par le Dr. Yngve Sjöstedt. *Arkiv för Zoologi*, **1**: 235–244.
- Germar, E.F. 1823. *Fauna insectorum Europae*, vol. 6. Pp. 1–25. Kuemmeli, Halae.
- Germar, E.F. 1824. *Insectorum species novae aut minus cognitae, descriptionibus illustratae. Coleoptera*. xxiv, 624 pp. Hendelii, Halae.
- Germar, E.F. 1825. *Fauna insectorum Europae*, vol. 11. Pp. 1–25. Kuemmeli, Halae.
- Gravenhorst, J.L.C. 1802. *Coleoptera Microptera Brunsvicensia . . .* lxvi, 206 pp. Reichard, Brunsuigae.
- Gravenhorst, J.L.C. 1806. *Monographia Coleopterorum Micropterorum*. 248 pp. Dieterich, Göttingae.
- Heer, O. 1839. *Fauna Coleopterorum Helvetica*, vol. 1, part 2. Pp. 145–360. Orellii, Fuesslini et Sociorum, Turici.
- Horn, G. 1884. Synopsis of the Philonthini of Boreal America. *Transactions of the American Entomological Society*, **11**: 177–244.
- Kiesenwetter, E.A.H. von. 1847. [New species]. In von Kiesenwetter, H. & Märkel, F., Eine entomologische Excursion im Riesengebirge. *Entomologische Zeitung herausgegeben von dem Entomologischen Vereine zu Stettin*, **8**(3): 73–87.
- Kiesenwetter, E.A.H. von. 1858. [New species]. In Kraatz, G., Beitrag zur Käferfauna Griechenlands. Zweites Stück: Palpicornia, Silphales, Scydmaenidae, Pselaphidae, Staphylinidae. *Berliner Entomologische Zeitschrift*, **2**: 37–67.

- Kirshenblat, J.** 1938. O nekotorykh dal'nevostochnykh zhukakh-stafilinakh. Trudy Gridobiologicheskoi Ekspeditsii zin Akademii Nauk 1934 g. na Japonskoe More. *Vypusk*, 1: 527–536.
- Laporte, F.L.** 1835. *Études entomologiques, ou description d'insectes nouveaux, et observations sur leur synonymie*. 159 pp., 4 pls. Méquignon-Marvis, Paris.
- Laporte, F.L.** 1840. *Histoire naturelle des insectes coléoptères*, vol. 1. cxxv. 324 pp. Duméril, Paris.
- Lea, A.M.** 1906. Descriptions of new species of Australian Coleoptera. Part VIII. *Proceedings of the Linnean Society of New South Wales*, 31: 195–228.
- LeConte, J.L.** 1863. New species of North American Coleoptera. Part 1. *Smithsonian Miscellaneous Collections*, 6(167): 1–92.
- Linnaeus, C.** 1758. *Systema Naturae*, Ed. 10, vol. 1. 824 pp. Salvii. Holmiae.
- MacLeay, W.J.** 1873. Notes on a collection of insects from Gayndah. *Transactions of the Entomological Society of New South Wales*, 2: 79–205.
- Mäklin, F.G.** 1852. [New species and notes]. In von Mannerheim, C., Zweiter Nachtrag zur Käfer-Fauna der Nord-Amerikanischen Laender des Russischen Reiches. *Bulletin de la Société Impériale des Naturalistes de Moscou*, 25(2): 283–387.
- Marsham, T.** 1802. *Coleoptera Britannica*, vol. 1. xxxi, 548 pp. White, Londini.
- Motschulsky, V.** 1860. Énumération des nouvelles espèces de coléoptères rapportées de ses voyages. 3e partie. *Bulletin de la Société Impériale des Naturalistes de Moscou*, 33(2): 539–588.
- Müller, O.F.** 1764. *Fauna Insectorum Fridrichsdalina, sive methodica descriptio insectorum agri Fridrichsdalensis* . . . xxiv. 96 pp. Gleditschii. Hafniae & Lipsiae.
- Mulsant, M.E. & Rey, C.** 1861. Description de quelques coléoptères nouveaux ou peu connus. *Opuscules Entomologiques*, 12: 139–188.
- Nicolai, E.A.** 1822. *Dissertatio inauguralis medica sistens Coleopterorum species Agri Halensis* . . . 45 pp. Grunderti. Halae.
- Nordmann, A. von.** 1837. *Symbolae ad monographiam staphylinorum*. 167 pp. Academiae Caesareae Scientiarum, Petropoli.
- Olivier, A.G.** 1811. *Encyclopédie Méthodique. Histoire naturelle. Insectes*, vol. 8, part 2. Pp. 361–722. Agasse, Paris.
- Paykull, G. de.** 1789. *Monographia Staphylinorum Sueciae*. 89 pp. Edman, Upsaliae.
- Paykull, G. de.** 1800. *Fauna Suecica. Insecta*, vol. 3. 459 pp. Edman, Upsaliae.
- Sachse, C.T.** 1852. Neue Käfer. *Entomologische Zeitung herausgegeben von dem Entomologischen Vereine zu Stettin*, 13: 115–127, 142–149, 454.
- Say, T.** 1832. [Untitled continuation of: Say, T. 1830. *Descriptions of new species of North American insects, and observations on some already described*], pp. 50–57. Say, Indiana.
- Sharp, D.S.** 1874. The Staphylinidae of Japan. *Transactions of the Entomological Society of London*. 1874: 1–103.
- Sharp, D.S.** 1876. Contribution to an insect fauna of the Amazon Valley. Coleoptera, Staphylinidae. *Transactions of the Entomological Society of London*, 1876: 27–424.
- Sharp, D.S.** 1889. The Staphylinidae of Japan. *Annals and Magazine of Natural History*, (6)3: 28–44, 108–121, 249–267, 319–334, 406–419, 463–476.
- Solier, A.J.J.** 1849. Orden III. Coleopteros. In Gay, C. *Historia física y política de Chile*. *Zoología*, 4: 105–380, 414–511.
- Solsky, S.M.** 1868. Études sur les Staphylinides de Mexique. *Horae Societatis Entomologicae Rossicae*, 5: 119–144.
- Stephens, J.F.** 1832. *Illustrations of British entomology*. . . *Mandibulata*, vol. 5. 240 pp. Baldwin & Cradock, London.
- Ullrich, W.G.** 1975. *Monographie der Gattung Tachinus Gravenhorst (Coleoptera: Staphylinidae)*. . . 365 pp. Christian-Albrechts-Universität, Kiel.

Table 1. 62 conserved valid specific names (junior primary homonyms, column 1) and the names of their senior primary homonyms (column 3), as originally published in binomina with the generic names in column 2, placed on the Official List of Specific Names in Zoology

KEY:

[] - Name in square brackets is the generic name currently in use

* - Names not currently used as the valid name for a species and therefore *not* placed on the Official List of Specific Names in Zoology

No - Reference number given in Table 1 of Application (BZN 59: 104-112)

No	Junior homonym (column 1)	Original generic name (column 2)	Senior homonym(s) (column 3)
Subfamily OMALIINAE			
1	<i>brevipenne</i> Motschulsky, 1860 (p. 545) [<i>Mannerheimia</i>]	<i>Omalius</i> Gravenhorst, 1802	* <i>brevipenne</i> Gyllenhal, 1810 (p. 234) [<i>Micralymma</i>]
2	<i>robustum</i> Broun, 1911 (p. 96) [<i>Omaliomimus</i>]	<i>Omalius</i> Gravenhorst, 1802	* <i>robustum</i> Heer, 1839 (p. 179) [<i>Eusphalerum</i>]
3	<i>rufum</i> Sachse, 1852 (p. 148) [<i>Omaliopsis</i>]	<i>Omalius</i> Gravenhorst, 1802	* <i>rufum</i> Gravenhorst, 1802 (p. 115) [<i>Acidota</i>]
4	<i>crassicorne</i> Lea, 1906 (p. 212) [<i>Omalius</i>]	<i>Omalius</i> Gravenhorst, 1802	* <i>crassicorne</i> Matthews, 1863 (p. 8650) [<i>Phyllocrepa</i>]
5	<i>marginatum</i> Cameron, 1941 (p. 58) [<i>Omalius</i>]	<i>Omalius</i> Gravenhorst, 1802	1. <i>marginatum</i> Say, 1832 (p. 50) [<i>Eusphalerum</i>] 2. * <i>marginatum</i> Kirby, 1837 (p. 89) [<i>Olophrum</i>]
6	<i>nigrum</i> Coiffait, 1982 (p. 151) [<i>Omalius</i>]	<i>Omalius</i> Gravenhorst, 1802	<i>nigrum</i> Gravenhorst, 1806 (p. 212) [<i>Phyllocrepa</i>]
7	<i>atrum</i> Casey, 1894 (p. 420) [<i>Phyllocrepa</i>]	<i>Omalius</i> Gravenhorst, 1802	<i>atrum</i> Heer, 1839 (p. 178) [<i>Eusphalerum</i>]
8	<i>denticolle</i> Sharp, 1889 (p. 475) [<i>Pycnogypta</i>]	<i>Omalius</i> Gravenhorst, 1802	<i>denticolle</i> Beck, 1817 (p. 26) [<i>Megarthus</i>]
9	<i>concinus</i> Marsham, 1802 (p. 510) [<i>Xylodromus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>concinus</i> Gravenhorst, 1802 (p. 21) [<i>Philonthus</i>]
Subfamily OXYPORINAE			
10	<i>melanocephalus</i> Kirshenblat, 1938 (p. 529) [<i>Oxyporus</i>]	<i>Oxyporus</i> Fabricius, 1775	* <i>melanocephalus</i> Fabricius, 1793 (p. 534) [<i>Tachyporus</i>]
Subfamily OXYTELINAE			
11	<i>cornutus</i> Bernhauer, 1936a (p. 86) [<i>Anotylius</i>]	<i>Oxytelus</i> Gravenhorst, 1802	<i>cornutus</i> Gravenhorst, 1802 (p. 109) [<i>Platystethus</i>]
12	<i>atricapillus</i> Germar, 1825 (p. 4) [<i>Bledius</i>]	<i>Oxytelus</i> Gravenhorst, 1802	* <i>atricapillus</i> Nicolai, 1822 (p. 40) [<i>Oxytelus</i>]
13	<i>bicornis</i> Germar, 1823 (p. 15) [<i>Bledius</i>]	<i>Oxytelus</i> Gravenhorst, 1802	<i>bicornis</i> Olivier, 1811 (p. 615) [<i>Piestus</i>]
14	<i>parvulus</i> Mulsant & Rey, 1861 (p. 175) [<i>Carpelimus</i>]	<i>Oxytelus</i> Gravenhorst, 1802	* <i>parvulus</i> Melsheimer, 1844 (p. 41) [<i>Anotylius</i>]
Subfamily STAPHYLININAE			
15	<i>haemorrhoidalis</i> Fabricius, 1801 (p. 596) [<i>Belonuchus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>haemorrhoidalis</i> Gmelin, 1790 (p. 2036) [<i>Staphylinus</i>] 2. <i>haemorrhoidalis</i> Olivier, 1795 (genus 42, p. 11) [<i>Staphylinus</i>]
16	<i>terminalis</i> Laporte, 1840 (p. 176) [<i>Belonuchus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>terminalis</i> Erichson, 1839 (p. 396) [<i>Oligotergus</i>]
17	<i>nitidulus</i> Gravenhorst, 1802 (p. 27) [<i>Bisnius</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>nitidulus</i> Fabricius, 1781 (p. 337) [<i>Tachyporus</i>]
18	<i>litoreus</i> Broun, 1880 (p. 108) [<i>Cafius</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>litoreus</i> Linnaeus, 1758 (p. 422) [<i>Sepedophilus</i>]
19	<i>mimulus</i> Sharp, 1874 (p. 38) [<i>Cafius</i>]	<i>Philonthus</i> Stephens, 1829	* <i>mimulus</i> Rottenberg, 1870 (p. 30) [<i>Gabronthus</i>]

Table 1. Continued

No	Junior homonym (column 1)	Original generic name (column 2)	Senior homonym(s) (column 3)
20	<i>angustatus</i> Solier, 1849 (p. 320) [<i>Cheilocolpus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>angustatus</i> Schrank, 1781 (p. 233) [<i>Staphylinus</i>] 2. <i>angustatus</i> Geoffroy, 1785 (p. 172) [<i>Rugilus</i>] 3. * <i>angustatus</i> Paykull, 1789 (p. 36) [<i>Astenus</i>]
21	<i>haemorrhoidalis</i> Brancsik, 1893 (p. 220) [<i>Diatrechus</i>]	<i>Philonthus</i> Stephens, 1829	<i>haemorrhoidalis</i> MacLeay, 1873 (p. 140) [<i>Hesperus</i>]
22	<i>punctipennis</i> Solier, 1849 (p. 319) [<i>Endeius</i>]	<i>Staphylinus</i> Linnaeus, 1758	* <i>punctipennis</i> Lacordaire, 1835 (p. 409) [<i>Othius</i>]
23	<i>montanus</i> Bernhauer, 1934 (p. 237) [<i>Gabrius</i>]	<i>Philonthus</i> Stephens, 1829	* <i>montanus</i> Heer, 1839 (p. 277) [<i>Quedius</i>]
24	<i>picipennis</i> Mäklin, 1852 (p. 313) [<i>Gabrius</i>]	<i>Philonthus</i> Stephens, 1829	<i>picipennis</i> Heer, 1839 (p. 279) [<i>Quedius</i>]
25	<i>propinquus</i> Cameron, 1933a (p. 389) [<i>Gabrius</i>]	<i>Philonthus</i> Stephens, 1829	<i>propinquus</i> Sharp, 1876 (p. 176) [<i>Paederomimus</i>]
26	<i>punctatellus</i> Horn, 1884 (p. 215) [<i>Gabrius</i>]	<i>Philonthus</i> Stephens, 1829	<i>punctatellus</i> Heer, 1839 (p. 275) [<i>Quedius</i>]
27	<i>viduus</i> Cameron, 1933b (p. 346) [<i>Gabrius</i>]	<i>Philonthus</i> Stephens, 1829	<i>viduus</i> Erichson, 1840 (p. 506) [<i>Styngetus</i>]
28	<i>gratus</i> Cameron, 1943 (p. 342) [<i>Hesperus</i>]	<i>Philonthus</i> Stephens, 1829	<i>gratus</i> LeConte, 1863 (p. 38) [<i>Neobisnius</i>]
29	<i>rufipennis</i> Gravenhorst, 1802 (p. 40) [<i>Hesperus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>rufipennis</i> Fabricius, 1801 (p. 597) [<i>Belonuchus</i>]
30	<i>debilis</i> Cameron, 1950 (p. 28) [<i>Leptacinus</i>]	<i>Leptacinus</i> Erichson, 1839	<i>debilis</i> Erichson, 1839 (p. 336) [<i>Somaleptus</i>]
31	<i>testaceus</i> Fabricius, 1801 (p. 595) [<i>Nordus</i>]	<i>Staphylinus</i> Linnaeus, 1758	* <i>testaceus</i> Paykull, 1789 (p. 28) [<i>Lobrathium</i>]
32	<i>cognatus</i> Sharp, 1876 (p. 169) [<i>Paederomimus</i>]	<i>Philonthus</i> Stephens, 1829	<i>cognatus</i> Stephens, 1832 (p. 229) [<i>Philonthus</i>]
33	<i>aberrans</i> Cameron, 1932 (p. 111) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	<i>aberrans</i> Sharp, 1876 (p. 174) [<i>Paederomimus</i>]
34	<i>australis</i> Cameron, 1943 (p. 342) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	<i>australis</i> MacLeay, 1873 (p. 139) [<i>Hesperus</i>]
35	<i>bicolor</i> Fauvel, 1903 (p. 240) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	* <i>bicolor</i> Redtenbacher, 1849 (p. 710) [<i>Quedius</i>]
36	<i>binotatus</i> Gravenhorst, 1806 (p. 73) [<i>Philonthus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>binotatus</i> Gravenhorst, 1802 (p. 28) [<i>Heterothops</i>]
37	<i>humilis</i> Cameron, 1932 (p. 106) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	<i>humilis</i> Erichson, 1840 (p. 512) [<i>Neobisnius</i>]
38	<i>hybridus</i> Cameron, 1930a (p. 163) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	<i>hybridus</i> Erichson, 1840 (p. 432) [<i>Quedius</i>]
39	<i>nigriceps</i> Eppelsheim, 1885 (p. 112) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	* <i>nigriceps</i> Gemminger & Harold, 1868 (p. 590) [<i>Erichsonius</i>]
40	<i>rivularis</i> Cameron, 1932 (p. 138) [<i>Philonthus</i>]	<i>Philonthus</i> Stephens, 1829	<i>rivularis</i> Kiesenwetter, 1858 (p. 61) [<i>Erichsonianus</i>]
41	<i>thoracicus</i> Gravenhorst, 1802 (p. 170) [<i>Philonthus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>thoracicus</i> Geoffroy, 1785 (p. 170) [<i>Paederidus</i>] 2. * <i>thoracicus</i> Villers, 1789 (p. 420) [<i>Staphylinus</i>]
42	<i>biguttatus</i> Bernhauer, 1937 (p. 304) [<i>Platydracus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>biguttatus</i> Linnaeus, 1758 (p. 422) [<i>Stenus</i>]
43	<i>purpurascens</i> Cameron, 1920 (p. 217) [<i>Platydracus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>purpurascens</i> Nordmann, 1837 (p. 47) [<i>Staphylinus</i>]

Table 1. Continued

No	Junior homonym (column 1)	Original generic name (column 2)	Senior homonym(s) (column 3)
44	<i>tomentosus</i> Gravenhorst, 1802 (p. 161) [<i>Platydracus</i>]	<i>Staphylinus</i> Linnaeus, 1758	* <i>tomentosus</i> Rossi, 1792 (p. 97) [<i>Sepedophilus</i>]
45	<i>hirtipennis</i> Broun, 1915 (p. 279) [<i>Quedius</i>]	<i>Quedius</i> Stephens, 1829	* <i>hirtipennis</i> Stephens, 1832 (p. 221) [<i>Philonthus</i>]
46	<i>unicolor</i> Kiesenwetter, 1847 (p. 75) [<i>Quedius</i>]	<i>Quedius</i> Stephens, 1829	* <i>unicolor</i> Stephens, 1832 (p. 224) [<i>Philonthus</i>]
47	<i>affinis</i> Solsky, 1868 (p. 126) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>affinis</i> Paykull, 1789 (p. 24) [<i>Atreucus</i>]
48	<i>auricomus</i> Cameron, 1929 (p. 65) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	* <i>auricomus</i> Brullé, 1842 (pl. 5, fig. 6) [<i>Glenus</i>]
49	<i>chrysis</i> Bernhauer, 1936b (p. 24) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	<i>chrysis</i> Gravenhorst, 1806 (p. 214) [<i>Glenus</i>]
50	<i>dimidiatus</i> Laporte, 1835 (p. 115) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>dimidiatus</i> Sahlberg, 1830 (p. 326) [<i>Philonthus</i>] 2. * <i>dimidiatus</i> Say, 1830 (p. 37) [<i>Philonthus</i>] 3. * <i>dimidiatus</i> Lacordaire, 1835 (p. 402) [<i>Philonthus</i>]
51	<i>marginatus</i> Cameron, 1944 (p. 11) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. <i>marginatus</i> Müller, 1764 (p. 23) [<i>Philonthus</i>] 2. * <i>marginatus</i> Ström, 1768 (p. 332) [<i>Philonthus</i>] 3. * <i>marginatus</i> Fabricius, 1775 (p. 226) [<i>Philonthus</i>] 4. * <i>marginatus</i> Geoffroy, 1785 (p. 169) [<i>Tachinus</i>] 176) [<i>Paederomimus</i>]
52	<i>rufipennis</i> Cameron, 1930b (p. 156) [<i>Staphylinus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. <i>rufipennis</i> Fabricius, 1801 (p. 597) [<i>Belonuchus</i>] 2. <i>rufipennis</i> Gravenhorst, 1802 (p. 40) [<i>Hesperus</i>] 3. * <i>rufipennis</i> Solier, 1849 (p. 317) [<i>Philonthus</i>]
53	<i>minutus</i> Coiffait, 1962 (p. 73) [<i>Xantholinus</i>]	<i>Xantholinus</i> Dejean, 1821	* <i>minutus</i> Lacordaire, 1835 (p. 417) [<i>Leptacinus</i>]
54	<i>piceus</i> Cameron, 1926 (p. 345) [<i>Xantholinus</i>]	<i>Xantholinus</i> Dejean, 1821	* <i>piceus</i> MacLeay, 1873 (p. 138) [<i>Zeteotomus</i>]
55	<i>haemorrhoidalis</i> Germar, 1824 (p. 34) [<i>Xanthopygus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>haemorrhoidalis</i> Olivier, 1795 (genus 42, p. 11) [<i>Staphylinus</i>] 2. <i>haemorrhoidalis</i> Fabricius, 1801 (p. 596) [<i>Belonuchus</i>] 3. * <i>haemorrhoidalis</i> Gmelin, 1790 (p. 2036) [<i>Staphylinus</i>]
56	<i> analis</i> Erichson, 1840 (p. 495) [<i>Xenopygus</i>]	<i>Philonthus</i> Stephens, 1829	* <i> analis</i> Heer, 1839 (p. 268) [<i>Gabrius</i>]
57	<i>bicolor</i> Laporte, 1835 (p. 115) [<i>Xenopygus</i>]	<i>Staphylinus</i> Linnaeus, 1758	1. * <i>bicolor</i> Paykull, 1789 (p. 21) [<i>Lesteva</i>] 2. * <i>bicolor</i> Gmelin, 1790 (p. 2027) [<i>Staphylinus</i>]
Subfamily TACHYPORINAE			
58	<i>apicalis</i> Erichson, 1839 (p. 250) [<i>Coproporus</i>]	<i>Tachinus</i> Gravenhorst, 1802	* <i>apicalis</i> Stephens, 1832 (p. 195) [<i>Tachinus</i>]
59	<i>fulvipes</i> Erichson, 1840 (p. 921) [<i>Tachinomorphus</i>]	<i>Tachinus</i> Gravenhorst, 1802	* <i>fulvipes</i> Stephens, 1832 (p. 195) [<i>Tachinus</i>]

Table 1. Continued

No	Junior homonym (column 1)	Original generic name (column 2)	Senior homonym(s) (column 3)
60	<i>axillaris</i> Erichson, 1839 (p. 261) [<i>Tachinus</i>]	<i>Tachinus</i> Gravenhorst, 1802	<i>axillaris</i> Gravenhorst, 1806 (p. 29) [<i>Lordithon</i>]
61	<i>brunneus</i> Ullrich, 1975 (p. 207) [<i>Tachinus</i>]	<i>Tachinus</i> Gravenhorst, 1802	<i>brunneus</i> Erichson, 1839 (p. 249) [<i>Coproporus</i>]
62	<i>piceus</i> Cameron, 1932 (p. 389) [<i>Tachinus</i>]	<i>Tachinus</i> Gravenhorst, 1802	1. <i>*piceus</i> Erichson, 1839 (p. 246) [<i>Coproporus</i>] 2. <i>*piceus</i> Stephens, 1829 (p. 268) [<i>Bryoporus</i>]

Table 2. Junior homonyms in column 1, as originally published in binomina with the generic names in column 2, conserved under Article 23.9.2 of the Code and placed on the Official List of Specific Names in Zoology

[] - Name in square brackets is the generic name currently in use

* - Names not currently used as the valid name for a species and therefore not placed on the Official List of Specific Names in Zoology

No - Reference number given in Table 2 of Application (BZN 59: 113)

No	Junior homonym (column 1)	Original generic name (column 2)	Senior homonym (column 3)
1	Subfamily OMALIINAE <i>pygmaeus</i> Paykull, 1800 (p. 410) [<i>Hapalareae</i>] nomen protectum	<i>Staphylinus</i> Linnaeus, 1758	<i>*pygmaeus</i> Villers 1789 (p. 420) [<i>Staphylinus</i>] nomen oblitum
2	<i>melanocephalus</i> Fabricius, 1787 (p. 222) [<i>Phyllodrepa</i>] nomen protectum	<i>Staphylinus</i> Linnaeus, 1758	<i>*melanocephalus</i> Geoffroy, 1785 (p. 172) [<i>Staphylinus</i>] nomen oblitum
3	Subfamily STAPHYLININAE <i>cephalotes</i> Gravenhorst, 1802 (p. 22) [<i>Bisnius</i>] nomen protectum	<i>Staphylinus</i> Linnaeus, 1758	<i>*cephalotes</i> Gmelin, 1790 (p. 2036) [<i>Staphylinus</i>] nomen oblitum